


Eleiko IWF Weightlifting Competition Podium, h=0,8 m

Art.no. 3085668



ELEIKO

READ BEFORE INSTALLATION AND USE

CAUTION

The equipment must be installed and used in a place whose access and supervision are specifically controlled by the owner.

Be sure to install the equipment on a stable base and properly level the equipment. ELEIKO recommends that all equipment installed by a professional and licensed contractor or an ELEIKO-installer.

SAFETY INSTRUCTIONS

It is the responsibility of the purchaser of ELEIKO products to instruct all users and supervising personnel on proper usage of the equipment.

1. All included warnings (labels) and instructions **MUST** be read before the use of any ELEIKO-equipment. Use each equipment as it is intended for.
2. A user **MUST** get a medical examination and proper instructions before the use of any ELEIKO-equipment.
3. **DO NOT** let anyone, under any circumstances, use equipment that appears to be damaged. Do not try to repair any equipment before consulting an ELEIKO technician.
4. **DO NOT** replace the components of ELEIKO-equipment with other none ELEIKO-equipment (magnetic safety pin, frames, bars), do not improvise. If there are any doubts consult an ELEIKO representative prior to any intervention.
5. **DO NOT** overload the equipment and **DO NOT** try to exceed personal strength levels.
6. Children under the age of 14 must be supervised by an adult.
7. **DO NOT** remove any safety labels from the ELEIKO-equipment. ELEIKO is not responsible if a label is removed. Replace damaged labels immediately.

PREVENTITIVE MAINTENANCE & INSPECTIONS

DAILY:

Cleaning of Carpet with a proper vacuum cleaner.

REGULARLY:

Clean the banners and stairs from dust and dirt.

Check that all bolts between parts, walls, floors are properly tightened, according to recommendations.

Check equipment for sharp edges and replace if necessary.

Check tubes and welds for cracks or other defects, replace if necessary.

WARRANTY

All products manufactured by ELEIKO are warranted to the original purchaser to be free from defects in workmanship and / or materials under normal use or service as follows: 2 years

10 years on welds on structural frame (NOT on moving parts)

Normal wear and tear does not fall under the warranty. Carpet and banners no warranty.

ADDITIONAL INFORMATION

This equipment is for indoor use only.


ELEIKO

PRODUCT SPECIFICATIONS

Eleiko IWF weightlifting podium is used for weightlifting competitions. The product is designed to work with Eleiko weightlifting competitions platforms. All measures are in compliance with IWF rules and regulations for podium. Also make sure you place the platform according to IWF rules and regulations. Pay alot of attention to level the construction before you place the plywood layer. Important for safety, performace and lifetime of product to have a flat and levelled podium.

Product weight	6200 kg	13668 LBS
Max user body weight	200 kg	441 LBS
Max weight on bar	300 kg	661 LBS
Dimensions (L x W x H)	10x10x0,8 (m)	32,8 x 32,8 x 2,8 (ft)


FOOTPRINT AREA



ELEIKO

CONTENTS

X100




Foot, UJB 38-36/17, 116762 , Peri
2001029

X100




Spindel Locking UJS, 100863, Peri
2001053

X100




Spira Top, UVH 50, 101309, Peri
2001030

X128




Support Beam UH-2 L=50 , 131998, Peri
2001869

X8



Support Beam UH-2 L=100 , 132004, Peri
2001884

X104




Support Beam UH-2 L=1500 , 132010, Peri
2001886

X64




Klämrosett UEV 90, 126453, PERI
2001866

X38




Beam, 074930 VT20K, L=3300, Peri
2001057

X27




Beam, 074960, VT20K, L=4500, Peri
2001864

X340



Screw, Spax6x100 SK-TX 30, Gul galv, 024950, Peri
2001039


X400



Wood Screw 4,5x45
2000443


CONTENTS

X64




Plywood for Podium FFBjörk1250x2500x21 BB/WG Ext
2000437

X2




Staircase for Podium h=0,8 IWF
2001842

X1




Carpet for podium, Grey 10x10 m
2001048

X1



Banner L=30 m h= 0,8 m, Grey
2001841

X5



double-sided tape
3062723


REQUIRED TOOLS




Bits TX 30
2001079



Bits TX 25
2001123




Spirit level
3061108
Not included



staple gun
Not included



rotating laser
Professional
Not included




Screwdriver for bits, battery
Not included

ASSEMBLY INSTRUCTIONS

1.

X100




Foot
2001029

X100




Spindel locking
2001053

X100




Spira Top, UVH 50, 101309, Peri
2001030

X64




Klämrosett UEV 90, 126453, PERI
2001866

X128




Support Beam UH-2 L=50 , 131998, Peri
2001869

X8





Support Beam UH-2 L=100 , 132004, Peri
2001884

X104




Support Beam UH-2 L=1500 , 132010, Peri
2001886



ELEIKO

ASSEMBLY INSTRUCTIONS

1.




ELEIKO


2.





rotating laser
Not included




Spirit level
3061108
Not included




For best result use a rotation laser to align the height of **all** holder. Second best is a spirit level.
Use the screw on the foot to adjust height.
See picture to the right for approx height, to get total height 800 mm.
Lock the screw with spindel locking.
Be extra precisely in center of podium 5x5 m.
Max deviation 2 mm/ 1000 mm.




3.




Beam, 074930 VT20K, L=3300, Peri
2001057



Beam, 074960, VT20K, L=4500, Peri
2001864




4.




5.

Screwdriver for bits, battery
Not included




X192



Screw, Spax6x100 SK-TX 30, Gul galv, 024950, Peri
2001039

X32







Plywood for podium
2000437


X1




Bits TX 30
2001079



Front



ELEIKO



6.

Screwdriver for bits, battery
Not included

X160



Wood Screw 4,5x45
2000443





X32



Plywood for podium
2000437




Bits TX 25
2001123



• Screw pattern


Front

Back




ELEIKO


7.



staple gun
Not included




Banner L=30 m h= 0,8 m, Grey
2001841




ELEIKO

8.




Staircase for Podium h=0,8 IWF
2001842



ELEIKO


9.

X5




double-sided tape
3062723

X1




Carpet for podium, Grey 10x10 m
2001048



ELEIKO

10.



ELEIKO

RAISE THE BAR

ELEIKO

RAISE THE BAR

ELEIKO

ELEIKO

RAISE THE BAR

Eleiko Group AB | Klastorpsvägen 18 | SE-302 62 HALMSTAD | Sweden
E-mail: info@eleiko.com | Phone: +46 35 17 70 70

www.eleiko.com